Friday, 19/10/2007 2:55:33 PM Linda Lacelle User: **Process Sheet** : FLOOR PROTCTOR AFT LH : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 35248 **Estimate Number** : 11228 : D32813 Part Number P.O. Number : D3281 REV B S.O. No. : **Drawing Number** This Issue : 19/10/2007 Project Number : N/A : NC Prsht Rev. : R&D THERMOFORMING : B : 18/10/2007 Type **Drawing Revision** First Issue : 35084 Material **Previous Run** : 25/10/2007 **Due Date** Written By Checked & Approved By : Est Rev:A New issue KJ/JLM Comment Est Rev B 07.08.07 Thermoform in house DL **Additional Product** Job Number: Description: Seq. #: **Machine Or Operation: PURCHASING** 1.0 PG Comment: PURCHASING CL07/10/223 4265 Issue P/O: Description: Floor Protector Aft, LH Possible Supplier: Delastek Certificate of Conformity is required Floor Protector, Aft LH 2.0 D32813P Comment: Qty.: 1.0000 Each(s)/Unit Total: 5.0000 Each(s) Floor Protector Aft, LH PACKAGING 1 PACKAGING RESOURCE #1 3.0 Comment: PACKAGING RESOURCE #1 Receive & Inspect For Transit Damage Ensure certificate of conformity is attached 4.0 QC6 Comment: DIMENSIONAL CHECK


Inspect dimensions as per Dwg D3280 and certification attached. Visua Hinspection check for void spots and

PACKAGING 1

PACKAGING RESOURCE #1

Comment: PACKAGING RESOURCE #1

Identify and Stock Location: 51266



5.0

Date:

Friday, 19/10/2007 2:55:33 PM

User: €

Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FLOOR PROTCTOR AFT LH

Job Number: 35248

Part Number: D32813

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

QC21

FINAL INSPECTION/W/O RELEASE



67.10.31

Comment: FINAL INSPECTION/W/O RELEASE


Job Completion



U 87-10-31



DESIG	P	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECK	(ED	APPROVED	DRAWING NO. REV.	8
	₩	极	D3281 SHEET 1 OF	3
DATE			TITLE SCAL	E
 05.1	1.25		FLOOR PROTECTOR 1:	5
Α		04.05.03	NEW ISSUE	
В		05.11.25	NOW LEXAN: DIMS AS MANUFACTURED	



1) THERMOFORM D3281-1 USING MOLD D3281-1T1, TRIM USING D3281-1T2ONTROLLED COPY SUBJECT TO AMENDMENT

2) MATERIAL: LEXAN F6006 BLACK No.700, 0.125 THICK 3) ALL DIMENSIONS ARE IN INCHES

4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

5) MIN. THICKNESS AFTER FORMING IS 0.080" EXCEPT AS SHOWN


WITHOUT NOTICE

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ONTA	
CHECKED 11	APPROVED	DRAWING NO.	REV. B
张	At the	D3281	SHEET 2 OF 3
DATE		TITLE '	SCALE
05.11.25		FLOOR PROTECTOR	1:5



D3281-2 FLOOR PROTECTOR, FWD RH

1) THERMOFORM D3281-2 USING MOLD D3281-2T1, TRIM USING D3281-2T2UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

2) MATERIAL: LEXAN F6006 BLACK No.700, 0.125 THICK

3) ALL DIMENSIONS ARE IN INCHES

4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


5) MIN. THICKNESS AFTER FORMING IS 0.080" EXCEPT AS SHOWN

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART AEROSE HAWKESBURY, ONTAI	• • • • • • • • • • • • • • • • • • • •
CHECKED M	APPROVED ,	DRAWING NO.	REV. B
1	1	D3281	SHEET 3 OF 3
DATE	<u>t</u>	TITLE	SCALE
05.11.25		FLOOR PROTECTOR	1:5



ENGINEERING
UNCONTROLLED COPY

THERMOFORM D3281-3 USING MOLD D3281-3T1, TRIM USING D3281-3T2_{SUBJECT} TO AMENDMENT
THERMOFORM D3281-4 USING MOLD D3281-4T1, TRIM USING D3281-4T2 WITHOUT NOTICE

MATERIAL: LEXAN F6006 BLACK No.700, 0.125 THICK

JALL DIMENSIONS 185

3) ALL DIMENSIONS ARE IN INCHES

4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

5) MIN. THICKNESS AFTER FORMING IS 0.080" EXCEPT AS SHOWN

Copyright @ 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Client

Numéro Job



Mercredi, 2007-02-07 13:19:04

Marc Dubé

-	F	e	u		е	d	e	P	rc	C	é	d	É	

: DART

Dart Aerospace Ltd.

: 40954

Numéro B.A.

Cette fois : 2007-02-07

Numéro Soumission: 2385

: NC

Prsht Rev. Prem. fois

: 40356

Type

No. B.V. :

Nom Dessin Numéro Article : FLOOR PROTECTOR AFT, LH

: DKC134-0046

Numéro Dessin Projet Numéro : D3281 : DKC134

Révision dessin

Matériel Date Dûe

: F6006 : 2007-02-14

: B

20 Ud.VI:

UNITE

Job précédente Écrit par

Vérifié & Approuvé par Commentaires

: N° de pièce: D3281-3

Process Sheet Rév.: 01 Inverser le rang de la séquence

d'inspection et d'identification

51: B 3066.0

THERMOTORMEN BY 28.60.07

Qté:

Produit additionnel

Numéro Job:



#Séq.:

Machine ou Opération:

Description:

1.0 APL0016 Lexan F6006 Noir N° 700 48" x 96" x .125" Thk.

Commentair Qty.:

0.167 UNITE(s)/Unit

Total: 3.7

Lexan F6006 Noir N° 700 48" x 96" x .125" 1

APL0016

3-5913-1

700 48" x 96" x .125" Thk.

N° de Lot:

Bon achat:

2.0

Commentair Setup: 0.00Hrs/ Run: 2.0000Min Total Run: 0.6667Hrs SÉCHAGE DU MATÉRIEL

Sécher le matériel dans le four à 250° F pendant 6 heures.

Inscrire sur la charte de température le numéro de Job du matériel au séchage.

de cuisson:_

3.0

PRÉPARATION 3

PRÉPARATION DU MATÉRIEL DART



Commentair Setup: 0.00Hrs/ Run: 3.0000Hrs Total Run: 60.0000Hrs TAILLAGE DU MATÉRIEL

Faire le taillage du matériel selon les dimensions suivantes:

24" x 26" x .125" Thk.



Quantité:

Date:

Sceau:

Jtilisatəbr: Mai	rc Dubé	fanille de Da	- 1 - 1 1	
	DART Dart Aerospace L	Feuille de Pro		The state of the s
Numéro Job:	·		n Dessin: FLOOR PROTECTOR AFT, LH o Article: DKC134-0046	
Numéro Job:				
# Séq.:	Machine ou Opération:		Description :	
4.0	THERMOFORMAGE2	THERMOFORMAGE	DES PIÈCE DART	
Commen	tair Setup: 0.50Hrs/ Run: 1 THERMOFORMAGE D	0.0000Min Total Run : 3.3333Hrs ES PIECES		
	Faire le thermoformage thermoformeur 4' x 8'.	du " Floor Protector " N° D3281-3 à l'	aide du moule N° D3281-3T1 sur le	
	Autocontrôle du lot de p	9	CLASTER A	
	Quantité: 20	Date: 12-2-07 Sceau:	69	
EΛ	Quantité:	_ Date:Sceau:	TITEC DADT	on la si Kappan, di ini
5.0	TRIMAGE 3	TRIMAGE COMPOS	HES DART	
	And the second s			
Commen	TRIMAGE PLASTIQUE		naharit de trimage N° D3281-3T2	
Commen	TRIMAGE PLASTIQUE Faire le trimage du "Flo Faire l'ébavurage des p Autocontrôle du lot de p Quantité:	DART por Protector " N° D3281-3 à l'aide du gièces. pièce trimées. Date: 23-2-37 Sceau:	gabarit de trimage N° D3281-3T2.	
Comment	TRIMAGE PLASTIQUE Faire le trimage du "Flo Faire l'ébavurage des p Autocontrôle du lot de p	DART oor Protector " N° D3281-3 à l'aide du gi ièces. ièces trimées.	ASTRE ASTRES)	No. 1 annu dicana
	TRIMAGE PLASTIQUE Faire le trimage du " Flo Faire l'ébavurage des p Autocontrôle du lot de p Quantité:	DART por Protector " N° D3281-3 à l'aide du glièces. por Protector " N° D3281-3 à l'aide du g	ASTRE ASTRES)	
6.0	TRIMAGE PLASTIQUE Faire le trimage du " Flo Faire l'ébavurage des p Autocontrôle du lot de p Quantité: Quantité: IDENTIFICATION4	DART or Protector " N° D3281-3 à l'aide du gièces. ièces trimées. Date:	ASTRE ASTRES)	
6.0	TRIMAGE PLASTIQUE Faire le trimage du " Flo Faire l'ébavurage des p Autocontrôle du lot de p Quantité: Quantité:	DART or Protector " N° D3281-3 à l'aide du gièces. ièces trimées. Date:	CES DART	
6.0	TRIMAGE PLASTIQUE Faire le trimage du " Flo Faire l'ébavurage des p Autocontrôle du lot de p Quantité: Quantité: IDENTIFICATION4 Air Setup: 0.00Hrs/ Run: 5. IDENTIFICATION PIÈC Faire l'identification des N° de pièce: D3281-3 N° de Job: 4055 Date de fabrication:	DART por Protector " N° D3281-3 à l'aide du gièces. pièce trimées. Date: 23-2-37 Sceau: Date: Sceau: DENTIFICATION PIL 0000Min Total Run : 1.6667Hrs ES DART pièces à l'aide des informations suivar	CES DART	
6.0	TRIMAGE PLASTIQUE Faire le trimage du " Flo Faire l'ébavurage des p Autocontrôle du lot de p Quantité: Quantité: IDENTIFICATION4 Air Setup: 0.00Hrs/ Run: 5. IDENTIFICATION PIÈC Faire l'identification des N° de pièce: D3281-3 N° de Job: 4055 Date de fabrication:	DART por Protector " N° D3281-3 à l'aide du gièces. pièce trimées. Date: 23-2-37 Sceau: Date: Sceau: IDENTIFICATION PIL 0000Min Total Run : 1.6667Hrs ES DART pièces à l'aide des informations suivar	CES DART	

Mercredi, 2007-02-07 13:19:04

Marc Dubé

Feuille de Procédé

Client: DART Numéro Job: 40954

Dart Aerospace Ltd.

Nom Dessin: FLOOR PROTECTOR AFT, LH

Numéro Article: DKC134-0046

Numéro Job:



Séq.:

Machine ou Opération:

Description:

7.0

INSPECTION 3

INSPECTION PIÈCE DART



Commentair Setup: 0.00Hrs/ Run: 5.0000Min Total Run: 1.6667Hrs

INSPECTION PIÈCE DART

Faire l'inspection finale des pièces selon le dessin.

Quantité:

8.0

EMBALLAG

EMBALLAGE ET ENTREPOSAGE



0.00Hrs/ Run: 5.0000Min Total Run: 1.6667Hrs Commentair Setup:

EMBALLAGE ET ENTREPOSAGE

Emballer les pièces individuellement dans un sac en platique et ensuite mettre dans une boite en carton identifiée comme suit:

N° de pièce: D3281-3 Date de fabrication:

N° de job:

Quantité:

Sceau:

DELASTEKCOMPOSITES

DELASTEK COMPOSITES INC. 2699, 5ième Avenue Local 14, PORTE -A-Grand-Mère, Québec G9T 5K7 Can **Fax (819) 533-3494 **

PACKING SLIF CERTIFICATE OF COMPLIANCE

Invoice #	12223
Customer #	DART

	Ship to:	
Dart Aerospace Ltd.		
1270, Aberdeen Street		
Hawkesbury, Ontario Ke	5A 1K7	
Canada		

Telephone: (819) 533-5788

Warehouse: MAIN

Bill to:

Dart Aerospace Ltd.
1270. Aberdeen Street
Hawkesbury, Ontario K6A 1K7
Canada

Telephone: 613-632-5200 Contact: Linda Lacelle

Shi	p via		F.O.B.		Terms		Salesp			
	COLLECT		Origin	N	let30 days	C	laude Lessa	ard, ext. 233		
Ship date Order Date 24/10/2007 22/10/2007		Our PO# Order						GST/PST#		
		5510 C. LAV								
Order Oty	B.O. Qty	Current Ship.	Item #		Ite	m Descriptio	n			
4	0	4 [DKC134-0044	Floor Protect Selon dessin D3 Job: 40952	tor Fwd LH Part 1 N° 1281 Rev.: B	D32811P B	35246	U de M : Ea		
۷.	0	4	DKC134-0045	Floor Protect Selon dessin D3 Job: 40953	tor Fwd RH Part 2 N° 1281 Rev.: B	D32812P E	335247	U de M : Ea		
Z,	0	4	DKC134-0046	Floor Protect Selon dessin D3 Job: 40954	tor Aft LH Part 3 N° I 3281 Rev.: B	D32813P E	335248	U de M : Ea		
4.1	0	4	DKC134-0047	Floor Protec Selon dessin D3 Job: 40957	tor Aft RH Part 4 N° 1 3281 Rev.: B	D32814P E	335249	U de M : Ea		
And the second s										

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

☐ Quality

Cust.

Adm.

Ship.

Accepted by:

Quality department

AQ-357